



Sughrue

SUGHRUE MION, PLLC

2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213

T 202.293.7060
F 202.293.7860

www.sughrue.com

Darryl Mexic
T (202) 663-7909
dmexic@sughrue.com

09/12/03
18334
U.S. PTO
Old
10/660652

September 12, 2003

16235 U.S. PTO
09/12/03

MAIL STOP PATENT APPLICATION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Application of Kenichi TACHIBANA, Tadataka NOGUCHI and Toshio OMATA
VACUUMING MOTOR AND VACUUMING APPARATUS
Assignee: KABUSHIKI KAISHA YASKAWA DENKI
Our Ref. Q77465

Dear Sir:

Attached hereto is the application identified above comprising nine (9) sheets of the specification, including the claims and abstract, one (1) sheet of drawings, executed Assignment and PTO 1595 form, and executed Declaration and Power of Attorney. Also enclosed is an Information Disclosure Statement and PTO/SB/08 A & B (modified).

The Government filing fee is calculated as follows:

Total claims	<u>3</u>	- 20	=	<u> </u>	x \$18.00 =	<u> </u> \$0.00	
Independent claims	<u>2</u>	- 3	=	<u> </u>	x \$84.00 =	<u> </u> \$0.00	
Base Fee							\$750.00

TOTAL FILING FEE	\$750.00
Recordation of Assignment	\$40.00
TOTAL FEE	\$790.00

Checks for the statutory filing fee of \$750.00 and Assignment recordation fee of \$40.00 are attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.



Sughrue
SUGHRUE MION, PLLC

Attorney Docket No.: Q77465
September 12, 2003
Page 2

Priority is claimed from:

<u>Country</u>	<u>Application No</u>	<u>Filing Date</u>
Japan	2002-267917	September 13, 2002

The priority document will be filed at a later date.

Respectfully submitted,
SUGHRUE MION, PLLC

Attorneys for Applicant

By: Darryl Mexic
Darryl Mexic
Registration No. 23,063

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

WASHINGTON OFFICE
23373
CUSTOMER NUMBER

DM/nv